

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

1 Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** GRIFFON T-88 BOT 250ML*24 ENDE**1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.**Application of the substance / the mixture** Adhesive**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Bison International
Dr.A.F.Philipsstraat 9
NL-4462 EW Goes
PO Box 160
NL-4460 AD Goes
tel. +31 88 3235700
fax. +31 88 3235800
e mail: sds@boltonadhesives.com

Further information obtainable from: Bison QESH**1.4 Emergency telephone number:** +31 88 3235700**2 Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS02



GHS07

Signal word Danger**Hazard-determining components of labelling:**

methyl ethyl ketone

Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)

GB



6110032 - GRIFFON T-88 BOT 250ML*24 ENDE

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 1)

- P261 Avoid breathing vapours.
- P370+P378 In case of fire: Use to extinguish: Water haze, Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with national regulations.

Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

Results of PBT and vPvB assessment

- PBT:** Not applicable.
- vPvB:** Not applicable.

3 Composition/information on ingredients

3.2 Mixtures

Description: Adhesive

Dangerous components:

CAS: 78-93-3 methyl ethyl ketone 50-100%
EINECS: 201-159-0 ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT
Reg.nr.: 01-2119457290-43 SE 3, H336

Additional information:

For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

4.1 Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Water haze
Alcohol resistant foam
Fire-extinguishing powder
Carbon dioxide

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Mount respiratory protective device.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 3)

GB



6110032 - GRIFFON T-88 BOT 250ML*24 ENDE

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 2)

* 6 Accidental release measures

- . **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- . **6.2 Environmental precautions:**
Prevent seepage into sewage system, workpits and cellars.
Do not allow to enter sewers/ surface or ground water.
- . **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- . **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- . **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- . **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- . **7.2 Conditions for safe storage, including any incompatibilities**
 - . **Storage:**
 - . **Requirements to be met by storerooms and receptacles:** Store in a cool location.
 - . **Information about storage in one common storage facility:** Not required.
 - . **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- . **7.3 Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- . **Additional information about design of technical facilities:**
No further data; see item 7.
- . **8.1 Control parameters**
- . **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- . **Ingredients with biological limit values:**
78-93-3 methyl ethyl ketone
BMGV 70 µmol/L
Medium: urine
Sampling time: post shift
Parameter: butan-2-one
- . **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 3)

8.2 Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Recommended filter device for short term use: Filter A**Protection of hands:**

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

PVC or PE gloves

Eye protection:

Tightly sealed goggles

Body protection: Solvent resistant protective clothing**9 Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:****Form:** Fluid**Colour:** According to product specification**Odour:** Like ketone**Odour threshold:** Not determined.**pH-value:** Not determined.**Change in condition****Melting point/Melting range:** Undetermined.**Boiling point/Boiling range:** 79 °C

(Contd. on page 5)

-GB-



6110032 - GRIFFON T-88 BOT 250ML*24 ENDE

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 4)

- . **Flash point:** < 0 °C
- . **Flammability (solid, gaseous):** Not applicable.
- . **Ignition temperature:** 514 °C
- . **Decomposition temperature:** Not determined.
- . **Self-igniting:** Product is not selfigniting.
- . **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- . **Explosion limits:**
 - Lower: 1.8 Vol %
 - Upper: 11.5 Vol %
- . **Vapour pressure at 20 °C:** 105 hPa
- . **Density at 20 °C:** 0.83 g/cm³
- . **Relative density** Not determined.
- . **Vapour density** Not determined.
- . **Evaporation rate** Not determined.
- . **Solubility in / Miscibility with water:** Not miscible or difficult to mix.
- . **Partition coefficient (n-octanol/ water):** Not determined.
- . **Viscosity:**
 - Dynamic: Not determined.
 - Kinematic: Not determined.
 - Solids content: 19.6 %
- . **9.2 Other information** No further relevant information available.

10 Stability and reactivity

- . **10.1 Reactivity** No further relevant information available.
- . **10.2 Chemical stability**
- . **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- . **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- . **10.4 Conditions to avoid** No further relevant information available.
- . **10.5 Incompatible materials:** No further relevant information available.
- . **10.6 Hazardous decomposition products:** Danger of forming toxic pyrolysis products.

11 Toxicological information

- . **11.1 Information on toxicological effects**
- . **Acute toxicity** Based on available data, the classification criteria are not met.
- . **Primary irritant effect:**
- . **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- . **Serious eye damage/irritation** Causes serious eye irritation.
- . **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB



6110032 - GRIFFON T-88 BOT 250ML*24 ENDE

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 5)

- . **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- . **Germ cell mutagenicity**
Based on available data, the classification criteria are not met.
- . **Carcinogenicity** Based on available data, the classification criteria are not met.
- . **Reproductive toxicity**
Based on available data, the classification criteria are not met.
- . **STOT-single exposure**
May cause drowsiness or dizziness.
- . **STOT-repeated exposure**
Based on available data, the classification criteria are not met.
- . **Aspiration hazard**
Based on available data, the classification criteria are not met.

12 Ecological information

- . **12.1 Toxicity**
- . **Aquatic toxicity:** No further relevant information available.
- . **12.2 Persistence and degradability** No further relevant information available.
- . **12.3 Bioaccumulative potential** No further relevant information available.
- . **12.4 Mobility in soil** No further relevant information available.
- . **Additional ecological information:**
- . **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- . **12.5 Results of PBT and vPvB assessment**
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

- . **13.1 Waste treatment methods**
- . **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- . **Uncleaned packaging:**
- . **Recommendation:**
Disposal must be made according to official regulations.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14 Transport information

- . **14.1 UN-Number**
- . **ADR,ADN, IMDG, IATA** UN1133
- . **14.2 UN proper shipping name**
- . **ADR/ADN** 1133 ADHESIVES, special provision 640D
- . **IMDG** ADHESIVES
- . **IATA** Adhesives

(Contd. on page 7)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 6)

. 14.3 Transport hazard class(es)

. ADR/ADN



- . Class 3 (F1) Flammable liquids.
- . Label 3

. IMDG, IATA



- . Class 3 Flammable liquids.
- . Label 3
- . 14.4 Packing group
- . ADR,ADN, IMDG, IATA II
- . 14.5 Environmental hazards:
- . Marine pollutant: No
- . 14.6 Special precautions for user Warning: Flammable liquids.
- . Danger code (Kemler): 33
- . EMS Number: F-E,S-D
- . Stowage Category B
- . 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

. Transport/Additional information:

. ADR/ADN

- . Limited quantities (LQ) 5L
- . Excepted quantities (EQ) Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
- . Transport category 2
- . Tunnel restriction code D/E

. IMDG

- . Limited quantities (LQ) 5L
- . Excepted quantities (EQ) Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

. Remarks:

Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III.
See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2

. UN "Model Regulation":

UN 1133 ADHESIVES, SPECIAL PROVISION 640D, 3, II

(Contd. on page 8)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 7)

15 Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- . Labelling according to Regulation (EC) No 1272/2008
The product is classified and labelled according to the CLP regulation.
- . Hazard pictograms



GHS02



GHS07

- . Signal word Danger
- . Hazard-determining components of labelling:
methyl ethyl ketone
- . Hazard statements
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
- . Precautionary statements
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing vapours.
P370+P378 In case of fire: Use to extinguish: Water haze, Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container in accordance with national regulations.
- . Directive 2012/18/EU
- . Named dangerous substances - ANNEX I None of the ingredients is listed.
- . Seveso category P5c FLAMMABLE LIQUIDS
- . Qualifying quantity (tonnes) for the application of lower-tier requirements
5,000 t
- . Qualifying quantity (tonnes) for the application of upper-tier requirements
50,000 t
- . 15.2 Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- . Relevant phrases
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
- . Abbreviations and acronyms:
Flam. Liq. 2: Flammable liquids, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
- . * Data compared to the previous version altered.

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

1 Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** GRIFFON T-88 BOT 250ML*24 ENDE**1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.**Application of the substance / the mixture** Adhesive**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Bison International
Dr.A.F.Philipsstraat 9
NL-4462 EW Goes
PO Box 160
NL-4460 AD Goes
tel. +31 88 3235700
fax. +31 88 3235800
e mail: sds@boltonadhesives.com

Further information obtainable from: Bison QESH**1.4 Emergency telephone number:** +31 88 3235700**2 Hazards identification****2.1 Classification of the substance or mixture****Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

Not applicable.

Xi; Irritant

R36: Irritating to eyes.

F; Highly flammable

R11: Highly flammable.

R66-67: Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Has a narcotising effect.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

2.2 Label elements**Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Code letter and hazard designation of product:

Xi Irritant
F Highly flammable

(Contd. on page 2)

GB-D



Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 1)

. Risk phrases:

- 11 Highly flammable.
- 36 Irritating to eyes.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

. Safety phrases:

- 9 Keep container in a well-ventilated place.
- 16 Keep away from sources of ignition - No smoking.
- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 33 Take precautionary measures against static discharges.
- 43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
- 60 This material and its container must be disposed of as hazardous waste.

. 2.3 Other hazards

. Results of PBT and vPvB assessment

- . PBT:** Not applicable.
- . vPvB:** Not applicable.

3 Composition/information on ingredients

. 3.2 Mixtures

. Description: Adhesive

. Dangerous components:

CAS: 78-93-3 methyl ethyl ketone 50-100%
EINECS: 201-159-0 ☒ Xi R36; ☒ F R11
Reg.nr.: 01-2119457290-43 R66-67

. Additional information:

For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

. 4.1 Description of first aid measures

. After inhalation: Supply fresh air; consult doctor in case of complaints.

. After skin contact: Generally the product does not irritate the skin.

. After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

. After swallowing: Do not induce vomiting; call for medical help immediately.

. 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

. 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

. 5.1 Extinguishing media

. Suitable extinguishing agents:

Water haze
Alcohol resistant foam
Fire-extinguishing powder
Carbon dioxide

. For safety reasons unsuitable extinguishing agents: Water with full jet

(Contd. on page 3)

GB-D



Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 2)

- . **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- . **5.3 Advice for firefighters**
- . **Protective equipment:** Mount respiratory protective device.
- . **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

* **6 Accidental release measures**

- . **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- . **6.2 Environmental precautions:**
Prevent seepage into sewage system, workpits and cellars.
Do not allow to enter sewers/ surface or ground water.
- . **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- . **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- . **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- . **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- . **7.2 Conditions for safe storage, including any incompatibilities**
- . **Storage:**
- . **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- . **Information about storage in one common storage facility:** Not required.
- . **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- . **7.3 Specific end use(s)** No further relevant information available.

* **8 Exposure controls/personal protection**

- . **Additional information about design of technical facilities:**
No further data; see item 7.
- . **8.1 Control parameters**
- . **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

GB-D

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 3)

. Ingredients with biological limit values:**78-93-3 methyl ethyl ketone**

BMGV (Great Britain) 70 µmol/L

Medium: urine

Sampling time: post shift

Parameter: butan-2-one

. Additional information: The lists valid during the making were used as basis.**. 8.2 Exposure controls****. Personal protective equipment:****. General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

. Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

. Recommended filter device for short term use: Filter A**. Protection of hands:**

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

. Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

. For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

PVC or PE gloves

. Eye protection:

Tightly sealed goggles

. Body protection: Solvent resistant protective clothing**9 Physical and chemical properties****. 9.1 Information on basic physical and chemical properties****. General Information****. Appearance:****Form:** Fluid**Colour:** According to product specification

(Contd. on page 5)

GB-D

**Safety data sheet**

DPD Declaration

according to 1907/2006/EC, Article 31

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 4)

- . **Odour:** Like ketone
- . **Odour threshold:** Not determined.
- . **pH-value:** Not determined.
- . **Change in condition**
 - Melting point/Melting range:** Undetermined.
 - Boiling point/Boiling range:** 79 °C
- . **Flash point:** < 0 °C
- . **Flammability (solid, gaseous):** Not applicable.
- . **Ignition temperature:** 514 °C
- . **Decomposition temperature:** Not determined.
- . **Self-igniting:** Product is not selfigniting.
- . **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- . **Explosion limits:**
 - Lower:** 1.8 Vol %
 - Upper:** 11.5 Vol %
- . **Vapour pressure at 20 °C:** 105 hPa
- . **Density at 20 °C:** 0.83 g/cm³
- . **Relative density** Not determined.
- . **Vapour density** Not determined.
- . **Evaporation rate** Not determined.
- . **Solubility in / Miscibility with water:** Not miscible or difficult to mix.
- . **Partition coefficient (n-octanol/water):** Not determined.
- . **Viscosity:**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
 - Solids content:** 19.6 %
- . **9.2 Other information** No further relevant information available.

10 Stability and reactivity

- . **10.1 Reactivity** No further relevant information available.
- . **10.2 Chemical stability**
- . **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- . **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- . **10.4 Conditions to avoid** No further relevant information available.
- . **10.5 Incompatible materials:** No further relevant information available.
- . **10.6 Hazardous decomposition products:**
Danger of forming toxic pyrolysis products.

(Contd. on page 6)

GB-D



Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 5)

11 Toxicological information

. **11.1 Information on toxicological effects**

- . **Acute toxicity**
- . **Primary irritant effect:**
- . **Skin corrosion/irritation** No irritant effect.
- . **Serious eye damage/irritation** Irritating effect.
- . **Respiratory or skin sensitisation** No sensitising effects known.
- . **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- . **12.1 Toxicity**
- . **Aquatic toxicity:** No further relevant information available.
- . **12.2 Persistence and degradability** No further relevant information available.
- . **12.3 Bioaccumulative potential** No further relevant information available.
- . **12.4 Mobility in soil** No further relevant information available.
- . **Additional ecological information:**

. **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

. **12.5 Results of PBT and vPvB assessment**

- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.

. **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

. **13.1 Waste treatment methods**

. **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

. **Uncleaned packaging:**

. **Recommendation:**

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14 Transport information

. **14.1 UN-Number**

. **ADR,ADN, IMDG, IATA** UN1133

. **14.2 UN proper shipping name**

. **ADR/ADN** 1133 ADHESIVES, special provision 640D

. **IMDG** ADHESIVES

. **IATA** Adhesives

(Contd. on page 7)

GB-D

Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 6)

. 14.3 Transport hazard class(es)**. ADR/ADN**

- . **Class** 3 (F1) Flammable liquids.
- . **Label** 3

. IMDG, IATA

- . **Class** 3 Flammable liquids.
- . **Label** 3
- . **14.4 Packing group**
- . **ADR,ADN, IMDG, IATA** II
- . **14.5 Environmental hazards:**
- . **Marine pollutant:** No
- . **14.6 Special precautions for user** Warning: Flammable liquids.
- . **Danger code (Kemler):** 33
- . **EMS Number:** F-E,S-D
- . **Stowage Category** B
- . **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- . **Transport/Additional information:**

. ADR/ADN

- . **Limited quantities (LQ)** 5L
- . **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
- . **Transport category** 2
- . **Tunnel restriction code** D/E

. IMDG

- . **Limited quantities (LQ)** 5L
- . **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

. Remarks:

Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III.
See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2

(Contd. on page 8)

GB-D



Printing date 09.03.2016

Version number 4

Revision: 09.03.2016

Trade name: GRIFFON T-88 BOT 250ML*24 ENDE

(Contd. of page 7)

* **15 Regulatory information**

. **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

. **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

. **Code letter and hazard designation of product:**



Xi Irritant
F Highly flammable

. **Risk phrases:**

- 11 Highly flammable.
- 36 Irritating to eyes.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

. **Safety phrases:**

- 9 Keep container in a well-ventilated place.
- 16 Keep away from sources of ignition - No smoking.
- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 33 Take precautionary measures against static discharges.
- 43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
- 60 This material and its container must be disposed of as hazardous waste.

. **Directive 2012/18/EU**

. **Named dangerous substances - ANNEX I** None of the ingredients is listed.

. **Seveso category** P5c FLAMMABLE LIQUIDS

. **Qualifying quantity (tonnes) for the application of lower-tier requirements**
5,000 t

. **Qualifying quantity (tonnes) for the application of upper-tier requirements**
50,000 t

. **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

* **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. **Relevant phrases**

- R11 Highly flammable.
- R36 Irritating to eyes.
- R66 Repeated exposure may cause skin dryness or cracking.
- R67 Vapours may cause drowsiness and dizziness.

. *** Data compared to the previous version altered.**

GB-D